Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; c, a conference report; r, a book review. Abbreviations: fr, fibre-reinforced; lw, lightweight; PFA, pulverised fly ash; PMMA, polymethyl methacrylate.

Aardelite, 196–8
acetone attack
  PMMA concrete, 88-91
acid attack
  concrete admixtures and coated concretes, 223–9
  PMMA concrete, 88–91
aerated concrete
  from Saudi Arabian sand, 81–5
ageing
  glass fr cement, 213–21
  high-strength concrete, 79e
agglomeration process, 191–3
aggregate
  manufacture from fly ash, 191–9
  size effect on fracture characteristics, 8, 58, 61–2r, 109–118
Akers, S. A. S. and Garrett, 'The influence of processing parameters on the strength and toughness of asbestos cement composites', 93–100
Akihama, S., Suenaga and Banno, 'Mechanical properties of carbon fibre reinforced cement composites', 21–33
Al-Adeeb, A. and Matti, 'Wetness expansion and density of asbestos cement pipes', 35–8
alkali attack, 262r
  PMMA concrete, 88–91
Al-khalaf, M. N. and Yousif, 'Compactibility of no-fines concrete', 45-50
Al-Noury, S. I. and Mirza, 'Utilisation of Saudi sands for aerated concrete production', 81–5
Alvarez, M., Salas and Veras, 'Lightweight insulating concretes with rice husk', 171–80
asbestos cement composites
  processing parameters, strength and toughness, 93–100
asbestos cement pipes
  wetness expansion and density, 35–8
asbestos fr mortar
  effect of pressure after casting, 181–9
asphalt
  aerated concrete coating, 82–3
  sulphur-extended, 1–2e, 63r
bamboo fr composites, 18, 19
Banno, T., Akihama and Suenaga, 'Mechanical properties of carbon fibre reinforced cement composites', 21–33
Banthia, N., Mindess and Bentur, 'The response of reinforced concrete beams with a fibre concrete matrix to impact loading', 165–70
Barr, B. I. G. and Hasso, 'Fracture toughness testing by means of the SECRBB test specimen', 3–9
Barr, B. I. G., Hasso and Weiss, 'Effect of specimen and aggregate sizes upon the fracture characteristics of concrete', 109–119
Bennett, E. W., Singh and Fakhri, 'Influence of reinforcement on fatigue of ferrocement', 151–64
Bentur, A., and Diamond, 'Effect of ageing of glass fibre reinforced cement on the response of an advancing glass crack on intersecting a glass fibre strand', 213–22
Bentur, A., Mindess and Banthia, 'The response of reinforced concrete beams with a fibre concrete matrix to impact loading', 165–70
Ben-Zeitun, A. E., 'Use of pulse velocity to predict compressive strength of concrete', 51–9
Besharam (*Ipomoea carnea*) composites, 11–20
Bijen, J. M. J. M., 'Manufacturing processes of artificial lightweight aggregates from fly ash', 191–9
Bondek profiled sheeting, 231–6
bonding
  Besharam composites, 18–19
  cold bonding process, 196–8
  failure of steel reinforcing wires, 156
  lw fly ash aggregate, 193–8
  reinforced steel fr concrete under cyclic loading, 239–48
book reviews, 61–6r, 136–9r, 202–203r, 261–5r
bridges, 261r, 263r
briquetting process, 193, 194
building codes, 137r
by-products, industrial, 200–201c

carbon fr cement composites
  effect of pressure on mortar after casting, 181–9
  mechanical properties, 21–33
cashew nut shell coatings, 17
cast-in-place construction, 65–6r
cellulose-based fillers
  hydroxymethyl cellulose, 223–9
  methyl cellulose, 21–9
Cembureau European awards, 76
cement composites
  ageing of glass fr, 213–21
  Besharam fr mud plaster, 18–19
  carbon fr, 21–33
  cement replacement materials, 149e
  copper fr, 101–106
  fr, 260c
  fracture mechanics, 202r
  high-strength, 202–3r
  strain rate effects on fracture, 134–5c
cement content
  effect on compressive strength, 45, 47–9, 52, 54, 79c
cement mortars
  tensile strength and sand particle size, 39–44
cement slurry coating of aerated concrete, 82–3
Chand, N., Khazanchi and Rohatgi, 'Structure and properties of *Ipomoea carnea*: its performance in polymer, clay and cement based composites', 11–20
chemical admixtures, 136r
  effect on durability, 200–201c
chrysotile asbestos fibres, 94, 96
coatings
  acid resistance, 223–9
  on aerated sand concrete, 82–4
  on Besharam, 17–18
cold bonding process, 196–8
collering of asbestos fibres, 94, 96–100
compaction
  compactibility of no-fines concrete, 45–50
  process, 193
compressive fatigue
  mortar in ferrocement, 154–6
compressive strength
  aerated concrete, 82, 83, 84, 85
  carbon fr composites, 25–6, 27, 33
  effect of acid attack, 225–6, 229
  high, 79e, 136–7r (see also high-strength composites)
  high-strength fr mortar matrix, 187, 188
  no-fines concrete compacted by different methods, 46–50
  plain concrete compression splitting tests, 251–8
  PMMA concrete under chemical attack, 90
  pulse velocity methods of determin-

Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; c, a conference report; r, a book review. Abbreviations: fr, fibre-reinforced; lw, lightweight; PFA, pulverised fly ash; PMMA, polymethyl methacrylate.

Aardelite, 196–8
acetone attack
  PMMA concrete, 88-91
acid attack
  concrete admixtures and coated concretes, 223–9
  PMMA concrete, 88–91
aerated concrete
  from Saudi Arabian sand, 81–5
ageing
  glass fr cement, 213–21
  high-strength concrete, 79e
agglomeration process, 191–3
aggregate
  manufacture from fly ash, 191–9
  size effect on fracture characteristics, 8, 58, 61–2r, 109–118
Akers, S. A. S. and Garrett, 'The influence of processing parameters on the strength and toughness of asbestos cement composites', 93–100
Akihama, S., Suenaga and Banno, 'Mechanical properties of carbon fibre reinforced cement composites', 21–33
Al-Adeeb, A. and Matti, 'Wetness expansion and density of asbestos cement pipes', 35–8
alkali attack, 262r
  PMMA concrete, 88–91
Al-khalaf, M. N. and Yousif, 'Compactibility of no-fines concrete', 45-50
Al-Noury, S. I. and Mirza, 'Utilisation of Saudi sands for aerated concrete production', 81–5
Alvarez, M., Salas and Veras, 'Lightweight insulating concretes with rice husk', 171–80
asbestos cement composites
  processing parameters, strength and toughness, 93–100
asbestos cement pipes
  wetness expansion and density, 35–8
asbestos fr mortar
  effect of pressure after casting, 181–9
asphalt
  aerated concrete coating, 82–3
  sulphur-extended, 1–2e, 63r
bamboo fr composites, 18, 19
Banno, T., Akihama and Suenaga, 'Mechanical properties of carbon fibre reinforced cement composites', 21–33
Banthia, N., Mindess and Bentur, 'The response of reinforced concrete beams with a fibre concrete matrix to impact loading', 165–70
Barr, B. I. G. and Hasso, 'Fracture toughness testing by means of the SECRBB test specimen', 3–9
Barr, B. I. G., Hasso and Weiss, 'Effect of specimen and aggregate sizes upon the fracture characteristics of concrete', 109–119
Bennett, E. W., Singh and Fakhri, 'Influence of reinforcement on fatigue of ferrocement', 151–64
Bentur, A., and Diamond, 'Effect of ageing of glass fibre reinforced cement on the response of an advancing glass crack on intersecting a glass fibre strand', 213–22
Bentur, A., Mindess and Banthia, 'The response of reinforced concrete beams with a fibre concrete matrix to impact loading', 165–70
Ben-Zeitun, A. E., 'Use of pulse velocity to predict compressive strength of concrete', 51–9
Besharam (*Ipomoea carnea*) composites, 11–20
Bijen, J. M. J. M., 'Manufacturing processes of artificial lightweight aggregates from fly ash', 191–9
Bondek profiled sheeting, 231–6
bonding
  Besharam composites, 18–19
  cold bonding process, 196–8
  failure of steel reinforcing wires, 156
  lw fly ash aggregate, 193–8
  reinforced steel fr concrete under cyclic loading, 239–48
book reviews, 61–6r, 136–9r, 202–203r, 261–5r
bridges, 261r, 263r
briquetting process, 193, 194
building codes, 137r
by-products, industrial, 200–201c

carbon fr cement composites
  effect of pressure on mortar after casting, 181–9
  mechanical properties, 21–33
cashew nut shell coatings, 17
cast-in-place construction, 65–6r
cellulose-based fillers
  hydroxymethyl cellulose, 223–9
  methyl cellulose, 21–9
Cembureau European awards, 76
cement composites
  ageing of glass fr, 213–21
  Besharam fr mud plaster, 18–19
  carbon fr, 21–33
  cement replacement materials, 149e
  copper fr, 101–106
  fr, 260c
  fracture mechanics, 202r
  high-strength, 202–3r
  strain rate effects on fracture, 134–5c
cement content
  effect on compressive strength, 45, 47–9, 52, 54, 79c
cement mortars
  tensile strength and sand particle size, 39–44
cement slurry coating of aerated concrete, 82–3
Chand, N., Khazanchi and Rohatgi, 'Structure and properties of *Ipomoea carnea*: its performance in polymer, clay and cement based composites', 11–20
chemical admixtures, 136r
  effect on durability, 200–201c
chrysotile asbestos fibres, 94, 96
coatings
  acid resistance, 223–9
  on aerated sand concrete, 82–4
  on Besharam, 17–18
cold bonding process, 196–8
collering of asbestos fibres, 94, 96–100
compaction
  compactibility of no-fines concrete, 45–50
  process, 193
compressive fatigue
  mortar in ferrocement, 154–6
compressive strength
  aerated concrete, 82, 83, 84, 85
  carbon fr composites, 25–6, 27, 33
  effect of acid attack, 225–6, 229
  high, 79e, 136–7r (see also high-strength composites)
  high-strength fr mortar matrix, 187, 188
  no-fines concrete compacted by different methods, 46–50
  plain concrete compression splitting tests, 251–8
  PMMA concrete under chemical attack, 90
  pulse velocity methods of determin-

ation, 51–8
rice husk fr insulating concrete, 173–80
size effects on fr concrete, 113
concrete technology, 261r
conferences and symposia
forthcoming, 67–73c, 77c, 140–6c, 148c, 204–210c, 266–71c
reports, 133–5c, 200–201c, 260c
construction materials, 66r
copper coatings on Besharam, 17–18
copper fr cement composites
fracture and fatigue, 101–106
corrosion
alkali–silica reaction, 262r
glass fr cement on ageing, 213–21
courses, 75c, 77c, 147c, 210c, 271c
crack growth resistance curves, 121, 127–32
cracking
carbon fr composites, 23–4
compression splitting tests, 251–8
crack dimensions in cement mortars, 41, 42, 43
ferrocement double cantilever beam specimens, 121–32
glass fr cements on ageing, 213–21
propagation mechanisms, 61r, 62r
shear tension in ferrocement, 154
steel fr concrete under cyclic loading, 245–8
crashworthiness, 61–2r
creosote coatings on Besharam, 17
curing
effect of time on pulse velocity, 52, 54, 55
effect on acid resistance, 224–6
cyclic loading (see also fatigue)
steel fr concrete, 239–48

Dakopatts Pharmaceutical Building, 76
deflection of concrete structures, 64r
deformation of ferrocement, 127, 129–32
Delvasto, S., Naaman and Throne, 'Effect of pressure after casting on high strength fibre reinforced mortar', 181–90
demolition, 263–4r
Densit concrete, 223–9
density
aerated concrete, 81–2
asbestos cement composites, 94–8, 100
asbestos cement pipes, 35–8
effect of acid attack, 225–6
no-fines concrete compacted by different methods, 47–9
Desayi, P. and Ganesan, 'Fracture properties of ferrocement using double cantilever beam specimens', 121–32
design
analysis using models, 137–8r
Cembureau awards, 76
codes for cement composites, 202r
criteria for composite slabs, 231–6
criteria for high-strength concrete, 137r
deflection in concrete, 64r
underground concrete, 264–5r
Diamond, S. and Bentur, 'Effect of ageing of glass fibre reinforced cement on the response of an advancing crack on intersecting a glass fibre strand', 213–22
Diaz, G., Kittl and Galleguillos, 'Statistical mechanics of fracture and fatigue of compacted copper fibre cement composites', 101–107
durability
asbestos cement pipes, 35–8
composite cements, 149e
concrete admixtures and coated concretes, 223–9
effect of admixtures and industrial by-products, 200–201c
glass fr cements, 213–21
PMMA concrete, 88–91
testing methods, 263r

earthquake simulation, 239–48
electron microscopy
cracking of glass fr cement, 213–21
embankments, 138–9r
energy conservation, 1e
expansion of asbestos cement pipes, 35–8
extrusion process, 193, 195

failure modes
carbon fr composites, 23–5
composite steel reinforced slabs, 233–4
ferrocement, 154–7
high-strength fr mortar, 186–7
polypropylene fr concrete under impact loading, 166–8
steel fr concrete under cyclic loading, 245–8
Fakhri, N. A., Singh and Bennett, 'Influence of reinforcement on fatigue of ferrocement', 151–64
fatigue, 62r
ferrocement double cantilever beams, 127, 128
ferrocement slabs, 151–63
thermal cycling of copper fr cement composites, 101–102, 105–106
Fattuhi, N. A. and Hughes, 'Resistance to acid attack of concrete with different admixtures or coatings', 223–30
ferrocement
effect of reinforcement on fatigue, 151–63
fracture tests on double cantilever beam specimens, 121–32
fiberisation of asbestos, 94, 96–100
fibre content
asbestos cement composites, 93, 94–6, 100
carbon fr composites, 22, 24–6, 27, 33
effect on high-strength fr mortar, 187–8, 189
effect on toughness index in fr concrete, 113–15, 118
fibre reinforced composites, 148c, 260c
impact strength, 61r
size effects on fracture characteristics of concrete, 109–118
finite element model
steel fr concrete under cyclic loading, 239–41
fire effects, 61r
fire resistance of aerated concrete, 84, 85
flexural strength
Besharam and its composites, 15
carbon fr composites, 22–3, 26, 28–33
high-strength fr mortar, 181–9
flooring, steel reinforced, 231–6
fly ash, 200–201c
effect of PFA–cement ratio on compressive strength, 52, 54, 55, 58
filler in glass fr cement, 213–21
filler in sand concrete, 211e
manufacture of lw aggregates, 191–9
PFA in high-strength concrete, 79e
foundations, 138–9r, 264–5r
fracture behaviour
Besharam composites, 16, 17
carbon fr composites, 24–5
composite steel reinforced slabs, 233–4
copper fr cement composites, 101–106
ferrocement double cantilever beam specimens, 121–32
glass fr cement on ageing, 215–21
size effects in fr concrete, 109–18
fracture energy, 133c
fracture mechanics, 62r, 133–4c
cement composites, 134–5c, 202r
size effects in fr concrete, 109–18
fracture surfaces
carbon fr composites, 24, 25
steel reinforcement wires, 153–6
fracture toughness, 133c
compression splitting test, 251–8

impact, 94–100, 168
SECRBB test specimen, 3–9
size effects in fr concrete, 109–18
frost resistance, 201c

Galleguillos, E., Diaz and Kittl, 'Statistical mechanics of fracture and fatigue of compacted copper fibre cement composites', 101–107
galvanised steel reinforcement, 151–63
Ganesan, N. and Desayi, 'Fracture properties of ferrocement using double cantilever beam specimens', 121–32
Garrett, G. G. and Akers, 'The influence of processing parameters on the strength and toughness of asbestos cement composites', 93–100
geogrids, polymer, 138–9r
glass fr composites
ageing and crack propagation in cement, 213–21
effect of pressure after casting mortar, 181–9
granulation process, 192–3

hardening process, 193–8
Hasso, E. B. D. and Barr, 'Fracture toughness testing by means of the SECRBB test specimen', 3–9
Hasso, E. B. D., Barr and Weiss, 'Effect of specimen and aggregate sizes upon the fracture characteristics of concrete', 109–119
Hatschek process, mini-, 93, 94, 100
high-strength composites
cements, 202–203r
concrete, 79e, 136–7r, 165–70, 203r
fr mortar, 181–9
Hughes, B. P. and Fattuhi, 'Resistance to acid attack of concrete with different admixtures or coatings', 223–30
hydroxypropylmethyl cellulose, 223–9

impact strength, 61–2r, 134–5c
polypropylene fr concrete, 165–70
insulating concrete, 171–80
Ipomoea carnea (Besharam) composites, 11–20

joints in roads, 261–2r

Karihaloo, B. L., 'Fracture toughness of plain concrete from compression splitting tests', 251–9
Khazanchi, A. C., Chand and Rohatgi, 'Structure and properties of *Ipomoea carnea*: its performance in polymer, clay and cement based composites', 11–20
Kittl, P., Diaz and Galleguillos, 'Statistical mechanics of fracture and fatigue of compacted copper fibre cement composites', 101–107
Kobayashi, T., Ohama, Takeuchi and Nawata, 'Chemical resistance of polymethyl methacrylate concrete', 87–91

latex systems, 139r
styrene–butadiene, 223–9
lightweight aggregate manufacture, 191–9
lightweight concrete
aerated sand concrete, 81–5
rice husk fr insulating, 171–80
lime
burning, 63–4r
pre-cure of rice husk fr concrete, 171–80
limestone filler, 149e, 200c, 211e
low-cost housing materials, 18–19, 171–80, 194–6

Mansur, M. A. and Ong, 'Shear-bond capacity of composite slabs made with profiled sheeting', 231–7
Matti, M. A. and Al-Adeeb, 'Wetness expansion and density of asbestos cement pipes', 35–8
mesh reinforcement, 125, 126, 130–1, 132
methyl cellulose, 21–9
mini-Hatshek process, 93, 94, 100
Mindess, S., Banthia and Bentur, 'The response of reinforced concrete beams with a fibre concrete matrix to impact loading', 165–70
Mindess, S., Panda and Spencer, 'Bond of deformed bars in steel fibre reinforced concrete under cyclic loading', 239–49
Mirza, W. H. and Al-Noury, 'Utilisation of Saudi sands for aerated concrete production', 81–5
model analysis, 137–8r, 202r
moisture, see water
mortar
compressive failure in ferrocement, 154–6
flexural properties of high-strength fr, 181–9
tensile strength and sand particle size, 39–44
mud plaster on Besharam, 18–91

Naaman, A. E., Delvasto and Throne, 'Effect of pressure after casting on high strength fibre reinforced mortar', 181–90
naphthalene-formaldehyde superplasticiser, 223–9
Nawata, K., Ohama, Kobayashi and Takeuchi, 'Chemical resistance of polymethyl methacrylate concrete', 87–91
Nicholas, D. M., Swift and Scott, 'The effect of sand particle size on the tensile strength of cement mortars', 39–44
Niro manufacture, 197–8
no-fines concrete compactibility, 45–50
non-destructive testing methods, 51–8, 65r
notch depth effects
in fracture toughness testing, 3–7, 8
strain energy release rate of ferrocement, 124, 125, 131–2

Ohama, Y., Kobayashi, Takeuchi and Nawata, 'Chemical resistance of polymethyl methacrylate concrete', 87–91
oil attack
PMMA concrete, 88–91
Ong, K. C. G. and Mansur, 'Shear-bond capacity of composite slabs made with profiled sheeting', 231–7

Panda, A. K., Spencer and Mindess, 'Bond of deformed bars in steel fibre reinforced concrete under cyclic loading', 239–49
particle sizes
asbestos cement composites, 94, 98–100
grain in steel reinforcement wire, 154–5
lw aggregate from fly ash, 193
pavement construction, 1–2e, 63r, 138r
pellet formation, 192–3, 194
permeability, 262–3r
plain concrete
fracture toughness testing, 4–5, 7–9, 251–8
polyester composites, 12–13, 15–17
polymer composites, 203r, 260r (see also individual types)
polymer grid reinforcement, 138–9r
polymethyl methacrylate concrete, 87–91
polypropylene fr concrete
fracture toughness testing, 5
impact loading, 165–70
size effects on fracture characteristics, 110–18
polypropylene fr mortar
effect of pressure after casting, 181–9
portland cement, 79e, 149e
pozzolanic composites, 149e, 200–201c, 211e (see also fly ash)

preservation, 65r
processing parameters
asbestos cement composites, 93–100
pulse velocity
use to predict compressive strength, 51–8
pulverised fly ash, see under fly ash

R-curves
ferrocement, 121, 127–32
ramming methods, 45–50
reinforcement
effect on fatigue in ferrocement, 151–63
mesh, 125, 126, 130–1, 132
polymer grid, 138–9r
profiled steel sheeting in slabs, 231–6
repair, 65r, 263r
rice husk fr concrete, 171–80
RILEM Technical Committees, 133–4c
road building, 1–2e, 138r, 261–2r
Rohatgi, P. K., Chand and Khazanchi, 'Structure and properties of *Ipomoea carnea*: its performance in polymer, clay and cement based composites', 11–20
rupture modulus
asbestos cement composites, 94–100
carbon fr composites, 26, 29, 30, 33
high-strength fr mortar, 186, 187

Salas, J., Alvarez and Veras, 'Lightweight insulating concretes with rice husk', 171–80
salt scaling, 201c
sand
concrete, 81–5, 211e
particle size in cement mortars and tensile strength, 39–44
Saudi Arabian sand, 81–5
Scott, R. A. M., Swift and Nicholas, 'The effect of sand particle size on the tensile strength of cement mortars', 39–44
SECRBB fracture test, 3–9
shape effects
double cantilever beam specimens, 122
geometrical factor for SECRBB specimens, 5–7, 9
shear bond strength
composite slabs, 231–6
shear tension cracking, 154
silica, 79e, 200–201c
acid resistance of concrete admixtures, 223–9
alkali resistance, 262r
in high-strength concrete, 79e, 165–70

Singh, G., Bennett and Fakhri, 'Influence of reinforcement on fatigue of ferrocement', 151–64
sintering process, 194–6
size effects
compressive strength prediction from aggregate maximum size, 58
cumulative probability of fracture, 104–105
fracture characteristics, 8, 61–2r, 109–18
rupture modulus of carbon fr composites, 26, 29
steel reinforcement wire, 154–5, 156–7
strain distribution of carbon fr composites, 30, 32
tensile strength of cement mortars, 39–44
slabs
deflection, 64r
fatigue strength, 151–63
shear bond strength, 231–6
slag, 200c
soil reinforcement, 138r
Spencer, R. A., Panda and Mindess, 'Bond of deformed bars in steel fibre reinforced concrete under cyclic loading', 239–49
statistical mechanics
fracture and fatigue of copper fr cement composites, 101–106
statistics, 261r
steel fr concrete, 260c
bond under cyclic loading, 239–48
fracture toughness testing, 7, 8–9
size effects on fracture characteristics, 110–18
steel fr mortar
effect of pressure after casting, 181–9
steel reinforcement
fatigue strength in ferrocement, 151–63
profiled sheeting in composite slabs, 231–6
steel fr concrete under cyclic loading, 239–48
storage structures, 264r
strain distribution
carbon fr composites in flexure, 30–1
steel fr concrete under cyclic loading, 243–7
strain rate effects, 133c, 134–5c
stress distribution
carbon fr composites in flexure, 30–3
steel fr concrete under cyclic loading, 242–5
stress–strain characteristics
Besharam stems, 13, 15
carbon fr composites, 23–5, 30–3
steel fr concrete under cyclic loading, 245, 246
styrene–butadiene latex, 223–9
Suenaga, T., Akihama and Banno, 'Mechanical properties of carbon fibre reinforced cement composites', 21–33
sulphate attack
aerated concrete, 82–4, 85
PMMA concrete, 88–91
sulphur
in aerated concrete, 82–4, 85
in road and pavement building, 1–2e, 62–3e
surface area, specific
asbestos cement composites, 93, 98–100
Swamy, R. N., 1–2e, 79e, 149e, 211e
Swift, D. S., Nicholas and Scott, 'The effect of sand particle size on the tensile strength of cement mortars', 39–44

Takeuchi, K., Ohama, Kobayashi and Nawata, 'Chemical resistance of polymethyl methacrylate concrete', 87–91
tamping methods, 45–50
tensile strength
Besharam and its composites, 13–14, 15–16
carbon fr composites, 23–5, 26, 27, 33
cement mortars, 39–44
testing methods, 65r
acid resistance, 223–9
compressive strength by compression splitting, 251–8
compressive strength by pulse velocity, 51–8
durability, 263r
effect of specimen size on fracture characteristics, 109–18
fracture energy, 133c
fracture properties of double cantilever beam specimens, 121–32
fracture toughness by SECRBB test specimen, 3–9
thermal degradation of Besharam, 15
thermal fatigue
copper fr cement composites, 105
Throne, J. L., Delvasto and Naaman, 'Effect of pressure after casting on high strength fibre reinforced mortar, 181–90
toluene attack
PMMA concrete, 88–91
toughness (see also fracture toughness)
flexure of carbon fr composites, 26, 28, 29, 33

toughness index
high-strength fr mortar in flexure, 187, 188, 189
size effects in concrete, 109–18

underground structures, 138–9r, 264–5r

Veras, J., Salas and Alvarez, 'Lightweight insulating concretes with rice husk', 171–80
vibration methods of compaction, 45–50

wall construction, 139r
water
absorption by asbestos cement pipes, 35–8
penetration in aerated concrete, 82–3, 85
water–cement ratio
asbestos cement composites, 93, 94–6, 97, 100
effect on compressive strength determination by pulse velocity, 52–3
effect on fracture toughness, 251–8
optimum for different methods of compaction, 45–6, 48–50
Weiss, E. B. D., Barr and Hasso, 'Effect of specimen and aggregate sizes upon the fracture characteristics of concrete', 109–119
wetness expansion of asbestos cement pipes, 35–8
wire failure in steel reinforcement, 153–6
workability
size effects in fr concrete, 113

Yousif, H. A. and Al-khalaf, 'Compactibility of no-fines concrete', 45–50
Yplon Detergents and Cosmetics Factory, 76